



ONE - BEAM - 11B34

W	29 1/2 x 1/2
F	10 3/8 x 5/8

SHIP MARK	DIV	ASS'M MARK	NO. PC'S	SECTION	LENGTH		CHEMISTRY	WEIGHT	P.O. NUMBER	REMARKS	PG / ITEM
					FT.	IN.					
11B34	11		1	W30X90	26'-3 3/16		A992	2359.8			5/7
		a90	2	L4X3-1/2X5/16	1'-5 1/2		A36	11.2			
		a144	2	L3-1/2X3-1/2X5/16	1'-5 1/2		A36	10.4			
		p168	3	FL3/8"X4"	1'-2 1/2		A36	6.2			
		p185	3	FL3/8"X4"	0'-8 1/2		A36	3.6			
TOTAL WEIGHT FOR 1 ASSEMBLY								2432.2			

NOTE: ALL WORKSHOP BOLTS SHALL BE TIGHTENED BY THE "SNUG-TIGHT" CONDITION AS DEFINED BY AISC, U.O.N.

WELDING ELECTRODE E70LH UNLESS NOTED		STEEL SPEC. W-SHAPES ASTM A992 U.N.O. HOLLOW STRUCTURAL SHAPES ASTM A500-B ALL OTHER MATERIAL ASTM A36 UNLESS NOTED		HOLE SIZE 13/160	
ERECTOR'S NOTE STEEL IS FABRICATED WITH "ERECTION MARKS" ON LEFT HAND END OF MEMBERS					
ALL HOLES IN BEAM END CONNECTION CLIP ANGLE OUTSTANDING LEG SHALL BE 13/16x1 HORIZ SLOTS U.N.O.					
NO.	DATE	BY	DESCRIPTION OF REVISION		
0	05/28/15	MR	FOR FAB		
A	04/24/15	MR	FOR APPL		
PREP _____ SHOP PAINT NONE					
PROJECT	HANOVER NEW COURTS BUILDING				
LOCATION	HANOVER COUNTY VA				
ARCHT.	MOSELEY ARCH				
CONTR.	GULF SEABOARD CONTRACTORS				
REF DWG.: E2.2.1		MADE MR 04/07/2015		CHKD. MLK	05/28/15
ORDER NO. 15-104		SHEET NO. 11B34			
ITEMS	SEQ				11